




# PRODUCT CATALOGUE

Strong Tools. Strong results! Be to be inspired by diversity, quality and design. Passion for excellence that inspires, discover the solutions



# Welcome to our product catalog


Quality means that the customer comes back, not the product!  
(Hermann Tietz German merchant around 1890)

We are pleased to present our comprehensive range to you. This catalog offers you a careful selection of high-quality products that we have put together for you with passion and dedication. Our goal is to offer you innovative solutions and first-class quality that meet your individual requirements.

Discover our variety and be inspired by new trends and tried-and-tested classics. Whether for private or business needs - with us you will find everything you need to successfully implement your projects.

We hope you enjoy browsing and discovering

Owners and employees of the Good Year Cooperation



# Contents.

<b>Welcome</b> .....	1
We know how important you are! We would therefore like to extend a warm welcome to you and thank you for your interest in our products and therefore in GoodYear.	
<b>Contents</b> .....	2
Here we show you the innovative and high-quality products we offer. If you can't find what you're looking for, please contact us.	
<b>About Us</b> .....	3
Welcome to Good Year! Here you can find out more about the values we stand for and what defines us.	
<b>Our Facilities</b> .....	4
Production equipment and quality control for precise and consistent manufacturing.	
<b>Tool- / Bit-Sets</b> .....	5 - 14
The right range for the right place at the POS. We plan, develop and build our boxes ourselves. Also in OEM version and exclusively for you	
<b>Nut-Setter</b> .....	15 - 20
We are so confident that we can say that there is hardly a comparable range in terms of breadth and depth.	
<b>Bit-Holder</b> .....	21 - 32
What applies to the nut setters also applies to the magnetic holders. We have the right solution for every application. We are the driving force behind innovation.	
<b>Bits</b> .....	33 - 44
Our manufacturing expertise is rounded off by a large product portfolio of bits. We can only show a small selection of our entire range. Ask us if you need a special type of bits.	

## About Our Company

At GoodYear, we are driven by a passion for innovation, excellence, and customer success. Founded in 1998, we have grown into a leading provider of tool sets, bits, nut-setter, bit holder, custom-made products etc. with a commitment to delivering outstanding value and service.



Our team of dedicated professionals brings together industry expertise, cutting-edge technology, and a customer-centric approach to meet the evolving needs of businesses and individuals alike. Whether you're looking for [specific service] or [another service], we are here to help you achieve your goals.

With a focus on Production competence, technical expertise, quality management, customer proximity and service, flexibility and adaptability and, not to forget, our environmental awareness, we believe in building long-term relationships and making a positive impact on the communities we serve.


Join us on our journey as we continue to grow, innovate, and set new benchmarks for excellence in tool industry for professionals, semi-professionals and DIY.





## GOOD YEAR HARDWARE CO.,LTD

A Taiwan-based manufacturer with nearly 30 years of experience, committed to product excellence and innovation.





### Quality Control

Strict quality control ensures precision in every detail and tolerance, providing customers with reliability and confidence in every product.



### Production Equipment

We use the latest CNC equipment to produce highly precise products. Each batch is manufactured within strict tolerance control to ensure consistent quality.



## Tool- / Bit-Sets.

Perfect bits, magnetic holders or ratchets for every screw connection

Whether by hand or with a machine - with our high-quality bit ranges you are well equipped for every task. Precision, durability and well thought-out design ensure perfect results and maximum working comfort. Discover the ideal combination of quality and versatility for your screw connections!

Highest quality for maximum performance

Our bit ranges are made from carefully selected, high-alloy materials that ensure exceptional hardness, wear resistance and durability. Precisely manufactured and developed for the highest demands - so that every screw connection holds reliably. Quality you can rely on!

Safe, sustainable, certified

Our bit ranges not only stand for the highest quality, but also for responsible material selection. All plastics used comply with the strict requirements of the REACH and RoHS regulations - for environmentally friendly, safe and sustainable use. Rely on tested quality!





## It's not the quantity that counts

A good bit range is not about quantity, but about quality. Our sets contain exactly the right tools that you really need - precisely coordinated, durable and reliable. So you always have the perfect solution to hand!

## Your set, your Design!

Our bit ranges can be designed according to your wishes - whether logo, color or stamp. This means you not only get high-quality tools, but also an individual design that fits perfectly with your brand. Tailor-made for your success!



## Variable

Our bit assortments are designed to include different types of magnetic holders with their different dimensions

## Tailored made

Very few users need all types of bits in their daily work. Together with you, we create ranges that meet your customers' exact needs.

## Down to the last detail!

Thanks to the clever arrangement, the bits, holders etc. in the box are easy to remove - for quick, practical and efficient handling in every application!



BT7Neo / BT11Neo- small, good and nice, very nice!

The small box that has it all. Compact, well designed, bits and holders can be stored easily and safely. Available in many different configurations, below and on the following pages we show a small selection.

	Bit-Set 7pcs	Content:	
610705		1PC 54MML IMPACT magn. bit holder 6PCS 1/4" C 6,3 x 25MML TORSION - IMPACT S2 Bit: PH: 1-2 PZ: 1-2 T: T25-T30	
610706	  	1PC 54MML IMPACT magn. bit holder 6PCS 1/4" C 6,3 x 25MML TORSION - IMPACT S2 Bit: T: T10-T15-T20-T25-T30-T40	




	Bit-Set 7pcs	Content:	
610707		1PC 50L magn. bit holder 6PCS 1/4" C 6,3 x 25MML TORSION S2 Bit: PH: 1-2-3 PZ: 1-2-3	
610708		1PC 50L magn. bit holder 6PCS 1/4" C 6,3 x 25MML TORSION S2 Bit: PH: 1-2 PZ: 1-2 T: T25-T30	





The slightly different insight

We thought, "why hide good bits?" Let's just show customers what they are buying! The Neo boxes are also available with transparent bit clip.



Content:

1PC 50MML magn. bit holder  
 6PCS 1/4"C 6,3 x 25MML  
 TORSION S2 Bit:  
 PH: 1-2-3 PZ: 1-2-3

1PC 50MML magn. bit holder  
 6PCS 1/4"C 6,3 x 25MML  
 TORSION S2 Bit:  
 PH: 1-2 PZ: 1-2 T: T25-T30

Bit-Set 7pcs

610703



610704



Content:

1PC 60MML Magnetic Quick Release  
 5 PCS 1/4" E 6,3 x 50MML  
 TORSION S2  
 T: 10-T15-T20-T25-T30

5PCS 1/4"C 6,3 x 25MML  
 TORSION S2 Bit:  
 PH: 1-2 PZ: 1-2-2

Bit-Set 11pcs

611113






BT7Neo / BT11Neo folding mechanism

Our innovative folding mechanism allows for effortless and easy removal of products - simply open, access and use! Thanks to the clever design, the contents are always protected and easily accessible at all times.

<p>611107</p>	<p>Bit-Set 11pcs</p>    	<p>Content:</p> <p>1PC 62MML IMPACT Ring-Magnetic bit holder</p> <p>10PCS 1/4" C 6,3 x 25MML TORSION S2 Bit: PH: 1-2 PZ: 1-2-2</p>	
---------------	--	--	--



<p>611104</p>	<p>Bit-Set 11pcs</p> 	<p>Content:</p> <p>1PC 62MML IMPACT Ring-Magnetic bit holder</p> <p>10PCS 1/4" C 6,3 x 25MML TORSION S2 Bit: PH: 1-2-2-3 PZ: 1-2-2-3 T:</p>	
<p>611104</p>		<p>Content:</p> <p>1PC 62MML IMPACT Ring-Magnetic bit holder</p> <p>10PCS 1/4" C 6,3 x 25MML TORSION S2 Bit: PH: 1-2-2-3 PZ: 1-2-2-3 T: 20-25-30-40</p>	





The slightly different insight

We thought, "why hide good bits?" Let's just show customers what they are buying! The Neo boxes are also available with transparent bit clip.



Content:

1PC 50MML magn. bit holder  
8PCS 1/4"C 6,3 x 25MML  
TORSION S2 Bit:  
PH: 1-2-2-3 PZ: 1-2-2-3

1PC 60MML magn. bit holder  
Screw Quick-Release  
8PCS 1/4"C 6,3 x 25MML  
TORSION S2 Bit:  
PH: 1-2-3 PZ: 1-2-3 T: T20-T25

Bit-Set 9pcs

SB0901



SB0901



Content:




1PC 60MML magn. bit holder  
Quick Release  
8PCS 1/4"C 6,3 x 25MML  
TORSION S2 Bit:  
PH: 1-2-3 PZ: 1-2-3  
SL: 4,0-5,5




Bit-Set 9pcs

QB0901





<p>QB1501</p>	<p>Bit-Set 15pcs</p>  	<p>Content:</p> <p>1PC 60MML magn. bit holder Quick Release 14PCS 1/4" C 6,3 x 25L TORSION - S2 Bit: PH: 1-2-3 PZ: 1-2-3 T: 10-15-20-25-30 SL: 4,0-5,0-6,0mm</p> <p>Box with entelligent folding mechanism and back belt-clip</p>	
---------------	---	---	--

<p>QB2101</p>	<p>Bit-Set 21pcs</p>  	<p>Content:</p> <p>1PC 60MML magn. bit holder Quick Release 20PCS 1/4" C 6,3 x 25L TORSION - S2 Bit: PH: 1-2-3 PZ: 1-2-3 T: 10-15-20-25-30 SL: 4,5-5,5-6,5mm H: 2,0-2,5-3,0-4,0-5,0-6,0</p> <p>Box with entelligent folding mechanism and back belt-clip</p>	
---------------	--	--	---

<p>QB3301</p>	<p>Bit-Set 33pcs</p>  	<p>Content:</p> <p>1PC 60MML magn. bit holder Quick Release 32PCS 1/4" C 6,3 x 25L - TORSION - S2 Bit: PH: 0-1-1-2-2-2-2-3 PZ: 0-1-1-2-2-2-3 SL: 3,0-4,0-5,5-6,5mm T: 10-15-20-20-25-27-30-40 H: 2,0-2,5-3,0-4,0-5,0-6,0</p> <p>Box with entelligent folding mechanism and back belt-clip</p>	
---------------	--	---	---



Content:

1 Stubby Ratschet 1/4"  
 5 x 1/4" socket SW 6-SW7-SW8-SW10-SW13  
 1 x adaptor 1/4" sq. x 1/4" hex  
 13PCS Bits 1/4"C 6,3 x 25L  
 TORSION S2 Bit:  
 PH: 1-2-3 PZ: 1-2-3 SL: 4,0-5,5mm  
 T: 10-15-20-25-30

Tool-Set 20pcs



AB2001



Content:

1 Stubby Ratschet 1/4"  
 26PCS Bits 1/4"C 6,3 x 25L  
 TORSION S2 Bit:  
 PH: 1-2-2-2-3 PZ: 1-2-2-2-3  
 SL: 3,0-4,0-5,0-6,0-7,0mm  
 T: 10-15-20-25-30  
 Hex: 2,0-2,5-3,0-4,0-5,0-6,0

Tool-Set 27pcs



AB2702



Content:



1 Quick-Release Screwdriver Handle  
 26PCS Bits 1/4"C 6,3 x 25L  
 TORSION S2 Bit:  
 PH: 1-2-2-2-3 PZ: 1-2-2-2-3  
 SL: 3,0-4,0-5,0-6,0-7,0mm  
 T: 10-15-20-25-30  
 Hex: 2,0-2,5-3,0-4,0-5,0-6,0

Bit-Set 27pcs



QB2702






<p>6125001</p>	<p>Bit-Set 25pcs</p>   	<p>Content:</p> <p>1PC 60MML Quick Release              1PC 84MML 72T 1/4"DR Mini Ratchet &amp; H 1/4' Jack              18PCS H 1/4" x 25MML Color Ring S2 Bit:              PH: 1-2-3 PZ: 1-2-3 SL: 4.0-5.5-8.0 mm              T: T15-T20-T25-T30              H: 3.0-4.0-5.0-6.0-8.0mm</p> <p>5PCS 1/4"DR Socket: 6.0-7.0-8.0-10.0-13.0mm              1PC 1/4" SQ / 1/4" Hex</p>	
----------------	---	---	---



<p>6124001</p>	<p>Bit-Set 24pcs</p>   	<p>Content:</p> <p>1PC 60MML Quick Release              1PC 84MML 72T 1/4"DR Mini Ratchet &amp; H 1/4' Jack              18PCS H 1/4" x 25MML Color Ring S2 Bit:              PH: 1-2-3 PZ: 1-2-3 SL: 4.0-5.5-8.0 mm              T: T15-T20-T25-T30              H: 3.0-4.0-5.0-6.0-8.0mm</p> <p>5PCS 1/4"DR Socket:              6.0-7.0-8.0-10.0-13.0mm              1PC 1/4" SQ / 1/4" Hex</p>	
----------------	--	--	--



	<p>Content:</p> <p>1PC 50MML Magnetic Bit Holder              1PC 60MML Magnetic Quick Release              1PC 55MML H1/4" Mini Holder              23PCS H 1/4" x 25MML H-T Black S2 Bit:              PH: 1-2-3 PZ: 1-2-3              T: T10-T15-T20-T25-T30-T40              H: 2.0-2.5-3.0-4.0-5.0-6.0mm              SL: 4.0-5.5-6.5 mm S:1- 2</p>	<p>Bit-Set 26pcs</p>  	<p>6126001</p>
---	---	--	----------------



Content:

1PC 50MML Magnetic Bit Holder  
 -2PCS 35MML CR-V Nutdriver :8.0 - 10mm  
 -1PC 84MML 72T H1/4" Mini Ratchet & H 1/4' Jack  
  
 19PCS H 1/4" x 25MML H-T Blue S2 Bit:  
 P H:1-2-3 PZ: 1-2-3 SL: 4.0-5.5-6.5 mm  
 T: T10-T15-T20-T25-T30-T40  
 H: 3.0-4.0-5.0-6.0 mm  
 1PC 25MML Adapter

Bit-Set 24pcs

6124002



Content:

1PC 50MML Bit Holder  
 1PC 60MML QUICK RELEASE  
  
 20PCS H 1/4" x 25MML H-T S2 Bit:  
 P H:1-2-3 PZ: 1-2-3 SL: 4.0-5.5-6.5 mm  
 T: T10-T15-T20-T25-T30-T40  
 H: 3.0-4.0-5.0-6.0 mm

Bit-Set 22pcs

QB2203



Content:

1 PCS QUICK-RELEASE SCREWDRIVER,  
 1 PCS MAGNETIC BIT HOLDER  
 1 PCS ADAPTER WITH EXTERNAL SQUARE HEXAGONAL INSERT; 1 PCS ADAPTER WITH SQUARE SOCKET AND HEXAGONAL SOCKET; 1 PCS SPECIAL INSERT FOR CENTRE CLAMPING OF SCREW HOOKS AND SIMILAR; 15 PCS 80MM (S2) BIT; 55 PCS 25MM (S2) BIT

Bit-Set 75pcs

QB7509



# Magnetic Nut-Setter

Say goodbye to annoying screw loss and laborious assembly work once and for all! With our magnetic socket wrenches you can keep screws, nuts and bolts securely in position - even in the most difficult work areas

**Secure hold:** Thanks to the integrated magnet, screws and nuts stay securely attached to the tool.

**Easy access:** Ideal for working in tight, hard-to-reach areas or overhead.

**Efficient and fast:** Speeds up your assembly work and minimizes time spent.

**Robust and durable:** Made from high-quality materials to withstand the toughest conditions.

Whether in the automotive sector, in electrical engineering or for DIY projects – our magnetic socket wrenches are the reliable partner that makes your work easier and delivers precise results.

10 mm





### IMPACT - Nut-Setter

Are made from high-strength materials that are specially hardened and treated to withstand the strong forces of use. The design allows for a certain amount of flexibility that counteracts the forces without making the material too brittle.



### Accuracy of fit

Our tools, which are precisely tailored to the parts to be used, wear out less quickly because they are not subject to uneven loads.



### NEODYM Magnets The real power!

Neodymium magnets have a very high magnetic energy density, which allows them to generate a strong attraction in a small size.



### A wide range - We have it!


Dolt-Yourselfer

s or professionals, they have different requirements and preferences, and a larger selection increases the likelihood that a user will find the right one.


# Nut-Setter 1/4" E6,3

## Floating Magnet System




Art.-No.	Product description	Size 	Length
220503	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 6,0	50mm
220504	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 7,0	50mm
220505	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 8,0	50mm
220506	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 9,0	50mm
220507	IMPACT Floating Magnet Nut-Setter TORSION & Sleeve	Hex 10,0	50mm
220508	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 11,0	50mm
220509	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 12,0	50mm
220510	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 13,0	50mm
220514	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 17,0	50mm
220516	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 1/4"	50mm
220517	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 5/16"	50mm
220518	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 3/8"	50mm




Art.-No.	Product description	Size 	Length
220523	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 6,0	65mm
220524	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 7,0	65mm
220525	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 8,0	65mm
220526	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 9,0	65mm
220527	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 10,0	65mm
220528	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 11,0	65mm
220529	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 12,0	65mm
220530	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 13,0	65mm
220534	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 17,0	65mm
220536	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 1/4"	65mm
220537	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 5/16"	65mm
220538	IMPACT Floating Magnet Nut-Setter TORSION & sleeve	Hex 3/8"	65mm



Art.-No.	Product description	Size 	Length
B20502	Magnet Nut-Setter	Hex 5,5	50mm
B20503	Magnet Nut-Setter	Hex 6,0	50mm
B20504	Magnet Nut-Setter	Hex 7,0	50mm
B20505	Magnet Nut-Setter	Hex 8,0	50mm
B20506	Magnet Nut-Setter	Hex 9,0	50mm
B20507	Magnet Nut-Setter	Hex 10,0	50mm
B20508	Magnet Nut-Setter	Hex 11,0	50mm
B20509	Magnet Nut-Setter	Hex 12,0	50mm
B20510	Magnet Nut-Setter	Hex 13,0	50mm
B20514	Magnet Nut-Setter	Hex 17,0	50mm
B20516	Magnet Nut-Setter	Hex 1/4"	50mm
B20517	Magnet Nut-Setter	Hex 5/16"	50mm
B20518	Magnet Nut-Setter	Hex 3/8"	50mm




Art.-No.	Product description	Size 	Length
B20523	Magnet Nut-Setter	Hex 6,0	65mm
B20524	Magnet Nut-Setter	Hex 7,0	65mm
B20525	Magnet Nut-Setter	Hex 8,0	65mm
B20526	Magnet Nut-Setter	Hex 9,0	65mm
B20527	Magnet Nut-Setter	Hex 10,0	65mm
B20528	Magnet Nut-Setter	Hex 11,0	65mm
B20529	Magnet Nut-Setter	Hex 12,0	65mm
B20530	Magnet Nut-Setter	Hex 13,0	65mm
B20531	Magnet Nut-Setter	Hex 14,0	65mm
B20532	Magnet Nut-Setter	Hex 15,0	65mm
B20534	Magnet Nut-Setter	Hex 17,0	65mm
B20536	Magnet Nut-Setter	Hex 1/4"	65mm
B20537	Magnet Nut-Setter	Hex 5/16"	65mm
B20538	Magnet Nut-Setter	Hex 3/8"	65mm
B20539	Magnet Nut-Setter	Hex 7/16"	65mm




# Magn. Nut-Setter 1/4" E6,3



Art.-No.	Product description	Size 	Length
B20543	Magnet Nut-Setter	Hex 6,0	100mm
B20544	Magnet Nut-Setter	Hex 7,0	100mm
B20545	Magnet Nut-Setter	Hex 8,0	100mm
B20546	Magnet Nut-Setter	Hex 9,0	100mm
B20547	Magnet Nut-Setter	Hex 10,0	100mm
B20548	Magnet Nut-Setter	Hex 11,0	100mm
B20549	Magnet Nut-Setter	Hex 12,0	100mm
B20550	Magnet Nut-Setter	Hex 13,0	100mm
B20551	Magnet Nut-Setter	Hex 14,0	100mm
B20554	Magnet Nut-Setter	Hex 17,0	100mm
B20556	Magnet Nut-Setter	Hex 1/4"	100mm
B20557	Magnet Nut-Setter	Hex 5/16"	100mm
B20558	Magnet Nut-Setter	Hex 3/8"	100mm



Art.-No.	Product description	Size 	Length
B20563	Magnet Nut-Setter	Hex 6,0	150mm
B20564	Magnet Nut-Setter	Hex 7,0	150mm
B20565	Magnet Nut-Setter	Hex 8,0	150mm
B20566	Magnet Nut-Setter	Hex 9,0	150mm
B20567	Magnet Nut-Setter	Hex 10,0	150mm
B20568	Magnet Nut-Setter	Hex 11,0	150mm
B20569	Magnet Nut-Setter	Hex 12,0	150mm
B20570	Magnet Nut-Setter	Hex 13,0	150mm
B20571	Magnet Nut-Setter	Hex 14,0	150mm
B20574	Magnet Nut-Setter	Hex 17,0	150mm
B20576	Magnet Nut-Setter	Hex 1/4"	150mm
B20577	Magnet Nut-Setter	Hex 5/16"	150mm
B20578	Magnet Nut-Setter	Hex 3/8"	150mm






## Standard can be anyone

Our aim is not to leave our partners alone when it comes to special screwing cases. Special lengths or special diameters are not a challenge for us but a service that we are happy to implement.

## Where strength is needed

Our nut setters can be used in all machines, no matter how powerful they are.



# Magnetic Bit Holder

Perfection in every detail - magnetic bit holders for the highest demands - Discover now and be convinced!

Discover the world's leading range of magnetic bit holders - developed for professionals who make no compromises. Our bit holders combine superior quality, innovative technology and unparalleled variety and set new standards in screw technology.

Unrivalled quality: Made from the best materials (e.g. stainless-steel-sleeve, CrV & aluminum) and equipped with the strongest neodymium magnets on the market.

Patented innovations: Many of our products have exclusive patents - for unique ease of use and durability.

Diverse selection: No matter which screw application you want to master - our range offers the right solution.

Maximum reliability: Precision and hold that you can rely on - even for the most demanding work.



## For every user

Whether in industry, in the trade or for passionate DIY enthusiasts: Our magnetic bit holders make every screw task more efficient and ensure perfect results.



## For every application

Choose from a wide range of technical designs that are specially optimized for the needs of your work.



## The Best of the Best

Rely on quality that the best trust. Choose the most advanced bit holder program in the world - because your work deserves only the best.



## IMPACT

IMPACT magnetic holders are the first choice when maximum resilience and precision are required - perfect for power tools with impact technology.

### Ring Magnet

Incredibly strong - holds each screw on the magnetic holder with a pull-off force of approx. 1,000g. Forget the fear that the screw might fall off when screwing.



### Everything you need - and more

Our broad and deep product range offers you the perfect combination of variety and specialization. Whether you are looking for standard solutions or tailor-made products - with us you will find everything from a single source.

### OEM Versions

Our service includes the complete planning and implementation of OEM versions. We adhere to your CD specifications and create various product design proposals.



# IMPACT Magnetic Bit Holder


## Floating Magnet System



### Power screw driver with impact technology

IMPACT magnetic holders offer outstanding durability and resilience thanks to their special design, even at high torques and intensive applications under impact loads.



Art.-No.	Product description	Size 	Length
92021230	Quick-Lock magn. IMPACT TORSION Floating Magnet Bit Holder	1/4"	60mm
92031230	Quick-Lock magn. IMPACT TORSION Floating Magnet Bit Holder	1/4"	75mm
92041230	Quick-Lock magn. IMPACT TORSION Floating Magnet Bit Holder	1/4"	100mm
92051230	Quick-Lock magn. IMPACT TORSION Floating Magnet Bit Holder	1/4"	150mm



# IMPACT Magnetic Bit Holder

## Ring-Magnet & Floating Magnet System



Art.-No.	Product description	Size	Length
92021251	magn. IMPACT TORSION Floating Magnet Bit Holder incl. Ring-Magnet with extra magnet power up to 1.000 gr.	1/4"	60mm




# IMPACT Magnetic Bit Holder

## Floating Magnet System



Art.-No.	Product description	Size	Length
91010050	magn. IMPACT Floating Magnet Bit Holder with Clip-Ring	1/4"	52mm
91020050	magn. IMPACT Floating Magnet Bit Holder with Clip-Ring	1/4"	60mm



**Tipp**

### Power screw driver with impact technology


Cordless and electric screwdrivers with IMPACT technology are the future. Make sure that you and your customers are always up to date with the latest technology



# Magnetic Bit Holder

## Ring-Magnet



Art.-No.	Product description	Size 	Length
92033131	Ring-Magnet Bit Holder with freely mounted sleeve for automatic depth adjustment	1/4"	60mm
92053131	Ring-Magnet Bit Holder with freely mounted sleeve for automatic depth adjustment; Shaft with free-running sleeve for better work protection and handling	1/4"	150mm
92083131	Ring-Magnet Bit Holder with freely mounted sleeve for automatic depth adjustment; Shaft with free-running sleeve for better work protection and handling	1/4"	300mm
92093131	Ring-Magnet Bit Holder with freely mounted sleeve for automatic depth adjustment; Shaft with free-running sleeve for better work protection and handling	1/4"	450mm
92093131	Ring-Magnet Bit Holder with freely mounted sleeve for automatic depth adjustment; Shaft with free-running sleeve for better work protection and handling	1/4"	600mm



## Magnetic Bit Holder Ring Magnet



Art.-No.	Product description	Size	Length
B01565	Ring-Magnet Bit Holder with manually adjustable depth adjustment	1/4"	60mm



Art.-No.	Product description	Size	Length
S02501	Squat stubby ratcheting palm screwdriver	1/4"	20mm



## Magnetic Bit Holder automatic depth stop

Art.-No.	Product description	Size	Length
92995250	magn. depth stop magnet holder with automatic screw shutdown; screw depth of screw head manually adjustable. Delivery includes 3 felt rings for surface protection	1/4"	85mm



- automatic shutdown
- felt rings for surface protection
- no damage to high-quality surfaces



# Magnetic Bit Holder

## Quick-Lock



Fixed bit locking with bit holder. The bit cannot fall out.



Insert the bit without having to operate the sliding action sleeve. This ensures one-handed operation.



Pull the sleeve back with one hand and release. The bit is automatically pushed forward and can be removed by hand. This ensures one-handed operation.

Art.-No.	Product description	Size	Length
GD-Q2101	magn. Quick-Lock Bit Holder with ELEL EasyLink & EasyLock" function - patented	1/4"	60mm



# Magnetic Bit Holder

## Quick-Lock



Art.-No.	Product description	Size	Length
92023130	magn. Quick-Lock Bit Holder with ELEL EasyLink & EasyLock™ function - patented - OEM version	1/4"	60mm



Art.-No.	Product description	Size	Length
GD-Q2102	magn. Quick-Lock Bit Holder with ELEL EasyLink & EasyLock™ function & free-wheel-sleeve - patented	1/4"	80mm
GD-Q2103	magn. Quick-Lock Bit Holder with ELEL EasyLink & EasyLock™ function & free-wheel-sleeve - patented	1/4"	150mm
GD-Q2104	magn. Quick-Lock Bit Holder with ELEL EasyLink & EasyLock™ function & free-wheel-sleeve - patented	1/4"	300mm
GD-Q2105	magn. Quick-Lock Bit Holder with ELEL EasyLink & EasyLock™ function & free-wheel-sleeve - patented	1/4"	450mm
GD-Q2106	magn. Quick-Lock Bit Holder with ELEL EasyLink & EasyLock™ function & free-wheel-sleeve - patented	1/4"	600mm



Freely rotating sleeve can be held in place during the screwing process, which significantly increases screwing accuracy and safety.



# Magnetic Bit Holder

## Quick-Lock

Art.-No.	Product description	Size	Length
92013230	magn. Quick-Lock Bit Holder	1/4"	50mm
92023230	magn. Quick-Lock Bit Holder	1/4"	60mm
92033230	magn. Quick-Lock Bit Holder	1/4"	75mm
92043230	magn. Quick-Lock Bit Holder	1/4"	100mm
92053230	magn. Quick-Lock Bit Holder	1/4"	150mm
92063230	magn. Quick-Lock Bit Holder	1/4"	200mm
92073230	magn. Quick-Lock Bit Holder	1/4"	250mm



Art.-No.	Product description	Size	Length
B06302	SDSplus magn. Quick-Lock Bit Holder	1/4"	80mm



## custom-made products / special tools

special challenges - sophisticated solutions




Our company offers you tailor-made solutions with high-quality custom-made products that are perfectly tailored to your needs. Even for small production quantities, we are at your side with flexibility and expertise - for individual products that impress!


# Magnetic Bit Holder

## Standard




Art.-No.	Product description	Size 	Length
Q1402	magn. Bit Holder without clip-ring	1/4"	50mm
Q1403	magn. Bit Holder without clip-ring	1/4"	60mm
Q1404	magn. Bit Holder without clip-ring	1/4"	75mm




Art.-No.	Product description	Size 	Length
Q1502	magn. Bit Holder with clip-ring	1/4"	50mm
Q1503	magn. Bit Holder with clip-ring	1/4"	60mm
Q1504	magn. Bit Holder with clip-ring	1/4"	75mm



# Magnetic Bit Holder Standard

Art.-No.	Product description	Size 	Length
Q1405	magn. Bit Holder without clip-ring	1/4"	100mm
Q1406	magn. Bit Holder without clip-ring	1/4"	150mm
Q1407	magn. Bit Holder without clip-ring	1/4"	200mm
Q1408	magn. Bit Holder without clip-ring	1/4"	250mm
Q1409	magn. Bit Holder without clip-ring	1/4"	300mm



Art.-No.	Product description	Size 	Length
Q1505	magn. Bit Holder with clip-ring	1/4"	100mm
Q1506	magn. Bit Holder with clip-ring	1/4"	150mm
Q1507	magn. Bit Holder with clip-ring	1/4"	200mm
Q1508	magn. Bit Holder with clip-ring	1/4"	250mm
Q1509	magn. Bit Holder with clip-ring	1/4"	300mm




# Adaptor for Bits C6,3 & E6,3 for IMPACT-Power-Machine



Art.-No.	Product description	Size	Length
822231	Quick-Lock Adaptor 1/2" Inner Sq. x 1/4" Inner Hex	1/2" x 1/4"	45mm



Art.-No.	Product description	Size	Length
822031	Adaptor 1/2" Inner Sq. x 1/4" Inner Hex	1/2" x 1/4"	45mm
821031	Adaptor 1/2" Inner Sq. x 1/4" Inner Hex	3/8" x 1/4"	45mm





Art.-No.	Product description	Size	Length
82212002	Impact Socket 1/2" DR Hex 10mm	1/2" DR	38mm
82212004	Impact Socket 1/2" DR Hex 12mm	1/2" DR	38mm
82212005	Impact Socket 1/2" DR Hex 13mm	1/2" DR	38mm
82212006	Impact Socket 1/2" DR Hex 14mm	1/2" DR	38mm
82212007	Impact Socket 1/2" DR Hex 15mm	1/2" DR	38mm
82212009	Impact Socket 1/2" DR Hex 17mm	1/2" DR	38mm
82212011	Impact Socket 1/2" DR Hex 19mm	1/2" DR	38mm
82212012	Impact Socket 1/2" DR Hex 21mm	1/2" DR	38mm
82212014	Impact Socket 1/2" DR Hex 24mm	1/2" DR	40mm
82212015	Impact Socket 1/2" DR Hex 27mm	1/2" DR	42mm
82212016	Impact Socket 1/2" DR Hex 30mm	1/2" DR	44mm
82212017	Impact Socket 1/2" DR Hex 32mm	1/2" DR	44mm



Art.-No.	Product description	Size	Length
82212083	Adaptor 1/2" DR x Hex x 1/2" Sq. with ball	1/2" x 1/2"	75mm
82212084	Adaptor 1/2" DR x Hex x 1/2" Sq. with ball	1/2" x 1/2"	125mm
82212085	Adaptor 1/2" DR x Hex x 1/2" Sq. with ball	1/2" x 1/2"	250mm

Art.-No.	Product description	Size	Length
B02011	Adaptor 1/4" E 6,3 Hex x 1/4" Sq. with ball	1/4" x 1/4"	50mm
B02014	Adaptor 1/4" E 6,3 Hex x 1/4" Sq. with ball	1/4" x 1/4"	65mm
B02015	Adaptor 1/4" E 6,3 Hex x 3/8" Sq. with ball	1/4" x 3/8"	65mm
B02016	Adaptor 1/4" E 6,3 Hex x 1/2" Sq. with ball	1/4" x 1/2"	72mm
B02020	Adaptor 1/4" E 6,3 Hex x 1/4" Sq. with ball	1/4" x 1/4"	150mm
B02021	Adaptor 1/4" E 6,3 Hex x 3/8" Sq. with ball	1/4" x 3/8"	150mm
B02022	Adaptor 1/4" E 6,3 Hex x 1/2" Sq. with ball	1/4" x 1/2"	150mm



Art.-No.	Product description	Size	Length
B06301	Adaptor SDS 3/8" DR	SDS 3/8"	60mm



# Bits 1/4" C 6,3 / Bits 1/4" E 6,3 / Threaded

Screwdriver bits –

precision and durability for the highest demands

Our screwdriver bits set standards in quality and performance. Made from high-quality S2 steel, they impress with their exceptional hardness and durability. This special tool steel ensures maximum resilience and reduces wear even with intensive use.

Thanks to the latest manufacturing processes, our bits achieve torque values that are well above the DIN standards – for maximum power transmission and safety in every application. Each bit goes through precisely hardened processes to ensure an optimal balance between hardness and elasticity.

The result: an extremely long service life and reliable performance – whether in professional trades or in industry. Rely on the highest quality for your most demanding screwdriving work.



## Beautiful is beautiful

We know that function comes before design. But if the function is good and the design is good, then it makes your success greater..




## Longevity

Our bits don't say "bye bye" after just a few screws, even when screwing in tough situations with hardwood or metal.




## Technically complex

We also take care of technically complex bits. Anyone can do standard, but we can do more!



## Technical Innovation

We are constantly trying to improve our products. Our motivation is to solve your problems. For example, bits with a free-running protective sleeve that is replaceable. The sleeve protects against damage to the workpiece.



## Concentricity

For long bits over 70mm, we ensure that the bits have a high degree of concentricity. For bits 150mm and longer, straightening is an absolute necessity.



## One bit like the other


Our QM and production system guarantees consistent, very good quality. This means that we can set our internal standards well above DIN.

## Point-of-sale

With our various options for a market-oriented product range design, we bring the products to the right place, in the right configuration.



# Bits 1/4" C6,3 TORSION




## Advantages of torsion bits




Art.-No.	Product description	Size	Length
B03101	Bit 1/4" C 6,3 - TORSION - S2 steel	PH 0	25mm
B03102	Bit 1/4" C 6,3 - TORSION - S2 steel	PH 1	25mm
B03103	Bit 1/4" C 6,3 - TORSION - S2 steel	PH 2	25mm
B03104	Bit 1/4" C 6,3 - TORSION - S2 steel	PH 3	25mm



Art.-No.	Product description	Size	Length
B03106	Bit 1/4" C 6,3 - TORSION - S2 steel	PZ 1	25mm
B03107	Bit 1/4" C 6,3 - TORSION - S2 steel	PZ 2	25mm
B03108	Bit 1/4" C 6,3 - TORSION - S2 steel	PZ 3	25mm



Art.-No.	Product description	Size	Length
B03129	Bit 1/4" C 6,3 - TORSION - S2 steel	TX 10	25mm
B03130	Bit 1/4" C 6,3 - TORSION - S2 steel	TX 15	25mm
B03131	Bit 1/4" C 6,3 - TORSION - S2 steel	TX 20	25mm
B03132	Bit 1/4" C 6,3 - TORSION - S2 steel	TX 25	25mm
B03133	Bit 1/4" C 6,3 - TORSION - S2 steel	TX 27	25mm
B03134	Bit 1/4" C 6,3 - TORSION - S2 steel	TX30	25mm
B03135	Bit 1/4" C 6,3 - TORSION - S2 steel	TX40	25mm



Art.-No.	Product description	Size	Length
B3002	Bit 1/4" C 6,3 - TORSION - S2 steel	PH 2	25mm
B3003	Bit 1/4" C 6,3 - TORSION - S2 steel	PH 2	50mm



# Bits 1/4" C6,3 IMPACT



Art.-No.	Product description	Size	Length
B05101	Bit 1/4" C 6,3 - IMPACT - S3 steel	PH 0	25mm
B05102	Bit 1/4" C 6,3 - IMPACT - S3 steel	PH 1	25mm
B05103	Bit 1/4" C 6,3 - IMPACT - S3 steel	PH 2	25mm
B05104	Bit 1/4" C 6,3 - IMPACT - S3 steel	PH 3	25mm



Art.-No.	Product description	Size	Length
B05106	Bit 1/4" C 6,3 - IMPACT - S3 steel	PZ 1	25mm
B05107	Bit 1/4" C 6,3 - IMPACT - S3 steel	PZ 2	25mm
B05108	Bit 1/4" C 6,3 - IMPACT - S3 steel	PZ 3	25mm



Art.-No.	Product description	Size	Length
B05106	Bit 1/4" C 6,3 - IMPACT - S3 steel	T15	25mm
B05107	Bit 1/4" C 6,3 - IMPACT - S3 steel	T20	25mm
B05108	Bit 1/4" C 6,3 - IMPACT - S3 steel	T25	25mm
B05107	Bit 1/4" C 6,3 - IMPACT - S3 steel	T30	25mm
B05108	Bit 1/4" C 6,3 - IMPACT - S3 steel	T40	25mm



Art.-No.	Product description	Size	Length
B05106	Bit 1/4" C 6,3 - IMPACT - S3 steel	SL4.0	25mm
B05107	Bit 1/4" C 6,3 - IMPACT - S3 steel	SL5.5	25mm
B05108	Bit 1/4" C 6,3 - IMPACT - S3 steel	SL6.5	25mm



Art.-No.	Product description	Size	Length
B05102	Bit 1/4" C 6,3 - IMPACT - S3 steel	PH 1	50mm
B05103	Bit 1/4" C 6,3 - IMPACT - S3 steel	PH 2	50mm
B05104	Bit 1/4" C 6,3 - IMPACT - S3 steel	PH 3	50mm



Available on request



# Bits 1/4" E6,3

## TORSION plastic sleeve



**NEW**

### Bits with plastic sleeve



Bits with a plastic sleeve on the shaft are used for two main reasons:



Protection of delicate surfaces



The plastic sleeve prevents the metal of the bit or drill from damaging delicate surfaces, such as painted or chrome-plated screw heads.



This is especially beneficial for high-quality furniture, cars or electrical appliances.



Lower friction - Less resistance when screwing or drilling ensures more precise results and easier handling.



Art.-No.	Product description	Size	Length
SB00201	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	PH 0	50mm
SB00202	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	PH 1	50mm
SB00203	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	PH 2	50mm
SB00204	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	PH 3	50mm



Art.-No.	Product description	Size	Length
SB00206	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	PZ 1	50mm
SB00207	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	PZ 2	50mm
SB00208	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	PZ 3	50mm



# Bits 1/4" E6,3

## TORSION plastic sleeve

Art.-No.	Product description	Size	Length
SB00229	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	TX 10	50mm
SB00230	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	TX 15	50mm
SB00231	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	TX 20	50mm
SB00232	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	TX 25	50mm
SB00233	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	TX 27	50mm
SB00234	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	TX30	50mm
SB00235	Bit 1/4" E 6,3 - TORSION - S2 steel with plastic sleeve	TX40	50mm




Blades 1/4" E 6.3 with plastic sleeve available on request in the lengths



- 70mm
- 90mm
- 110mm
- 125mm
- 150mm
- 200mm
- 250mm
- 300mm

# Bits 1/4" E6,3 TORSION



Art.-No.	Product description	Size	Length
B00201	Bit 1/4" E 6,3 - TORSION - S2 steel	PH 0	50mm
B00202	Bit 1/4" E 6,3 - TORSION - S2 steel	PH 1	50mm
B00203	Bit 1/4" E 6,3 - TORSION - S2 steel	PH 2	50mm
B00204	Bit 1/4" E 6,3 - TORSION - S2 steel	PH 3	50mm




Art.-No.	Product description	Size	Length
B00206	Bit 1/4" E 6,3 - TORSION - S2 steel	PZ 1	50mm
B00207	Bit 1/4" E 6,3 - TORSION - S2 steel	PZ 2	50mm
B00208	Bit 1/4" E 6,3 - TORSION - S2 steel	PZ 3	50mm



Art.-No.	Product description	Size	Length
B00212	Bit 1/4" E 6,3 - TORSION - S2 steel	SL 3,5	50mm
B00213	Bit 1/4" E 6,3 - TORSION - S2 steel	SL 4,0	50mm
B00214	Bit 1/4" E 6,3 - TORSION - S2 steel	SL 4,5	50mm
B00217	Bit 1/4" E 6,3 - TORSION - S2 steel	SL 5,5	50mm
B00220	Bit 1/4" E 6,3 - TORSION - S2 steel	SL 6,5	50mm
B00223	Bit 1/4" E 6,3 - TORSION - S2 steel	SL 8,0	50mm




Art.-No.	Product description	Size	Length
B00229	Bit 1/4" E 6,3 - TORSION - S2 steel	TX 10	50mm
B00230	Bit 1/4" E 6,3 - TORSION - S2 steel	TX 15	50mm
B00231	Bit 1/4" E 6,3 - TORSION - S2 steel	TX 20	50mm
B00232	Bit 1/4" E 6,3 - TORSION - S2 steel	TX 25	50mm
B00233	Bit 1/4" E 6,3 - TORSION - S2 steel	TX 27	50mm
B00234	Bit 1/4" E 6,3 - TORSION - S2 steel	TX30	50mm
B00235	Bit 1/4" E 6,3 - TORSION - S2 steel	TX40	50mm



# Bits 1/4" E6,3

## TORSION

Art.-No.	Product description	Size 	Length
B00246	Bit 1/4" E 6,3 - TORSION - S2 steel	Hex 2,0	50mm
B00247	Bit 1/4" E 6,3 - TORSION - S2 steel	Hex 2,5	50mm
B00248	Bit 1/4" E 6,3 - TORSION - S2 steel	Hex 3,0	50mm
B00249	Bit 1/4" E 6,3 - TORSION - S2 steel	Hex 4,0	50mm
B00250	Bit 1/4" E 6,3 - TORSION - S2 steel	Hex 5,0	50mm
B00251	Bit 1/4" E 6,3 - TORSION - S2 steel	Hex 6,0	50mm
B00252	Bit 1/4" E 6,3 - S2 steel	Hex 8,0	50mm



Blades 1/4" E 6.3 available on request in the lengths



and including color ring

-  70mm
-  90mm
-  110mm
-  125mm
-  150mm
-  200mm
-  250mm
-  300mm



# Thread Bits

## TORSION



Art.-No.	Product description	Size	Length
B0800204	M4 Thread Bit without flat	PH 1	33mm
B0800304	M4 Thread Bit without flat	PH 2	33mm
B08002F4	M4 Thread Bit with flat	PH 1	33mm
B08003F4	M4 Thread Bit with flat	PH 2	33mm



Art.-No.	Product description	Size	Length
B0810205	M5 Thread Bit without flat	PH 1	45mm
B0810305	M5 Thread Bit without flat	PH 2	45mm
B08102F5	M5 Thread Bit with flat	PH 1	45mm
B08103F5	M5 Thread Bit with flat	PH 2	45mm



Art.-No.	Product description	Size	Length
B0800604	M4 Thread Bit without flat	PZ 1	33mm
B0800704	M4 Thread Bit without flat	PZ 2	33mm
B08006F4	M4 Thread Bit with flat	PZ 1	33mm
B08007F4	M4 Thread Bit with flat	PZ 2	33mm




Art.-No.	Product description	Size	Length
B0810605	M5 Thread Bit without flat	PZ 1	45mm
B0810705	M5 Thread Bit without flat	PZ 2	45mm
B08106F5	M5 Thread Bit with flat	PZ 1	45mm
B08107F5	M5 Thread Bit with flat	PZ 2	45mm





Art.-No.	Product description	Size	Length
B0802904	M4 Thread Bit without flat	T 10	33mm
B0803004	M4 Thread Bit without flat	T 15	33mm
B0803104	M4 Thread Bit without flat	T 20	33mm
B0803204	M4 Thread Bit without flat	T 25	33mm
B0803404	M4 Thread Bit without flat	T 30	33mm
B0803504	M4 Thread Bit without flat	T 40	33mm
B08029F4	M4 Thread Bit with flat	T 10	33mm
B08030F4	M4 Thread Bit with flat	T 15	33mm
B08031F4	M4 Thread Bit with flat	T 20	33mm
B08032F4	M4 Thread Bit with flat	T 25	33mm
B08034F4	M4 Thread Bit with flat	T 30	33mm
B08035F4	M4 Thread Bit with flat	T 40	33mm



**Tipp**

The undercut at the transition between the thread and the base body increases the load capacity (TORSION effect) and thus protects against premature wear or breakage.

Art.-No.	Product description	Size	Length
B0812902	M5 Thread Bit without flat	T 10	45mm
B0813005	M5 Thread Bit without flat	T 15	45mm
B0813105	M5 Thread Bit without flat	T 20	45mm
B0813205	M5 Thread Bit without flat	T 25	45mm
B0813405	M5 Thread Bit without flat	T 30	45mm
B0813505	M5 Thread Bit without flat	T 40	45mm
B08129F5	M5 Thread Bit with flat	T 10	45mm
B08130F5	M5 Thread Bit with flat	T 15	45mm
B08131F5	M5 Thread Bit with flat	T 20	45mm
B08132F5	M5 Thread Bit with flat	T 25	45mm
B08134F5	M5 Thread Bit with flat	T 30	45mm
B08135F4	M5 Thread Bit with flat	T 40	45mm





## Address

Good Year Hardware Co., Ltd.  
No.1, Lane 419, Sec. 7, Chang-Lu Rd.,  
Fu Sing Hsiang,  
Changhua 506 - Taiwan

## Phone

Phone : +886-4-7755229541-957-3452  
Mobil : +886-(0)932584514

## Online

Email 1 : [i6099@ms33.hinet.net](mailto:i6099@ms33.hinet.net)  
Email 2 : [dolly@good-tools.com](mailto:dolly@good-tools.com)

Website : [www.good-tools.com](http://www.good-tools.com)

